

STARWOOD METROPOLITAN DISTRICT  
121 Stewart Drive Aspen, Colorado 81611  
970-925-8939

**APPLICATION FOR ROAD CUT**

**Must be completed, submitted to Starwood Metropolitan District and approved prior to cutting the road.**

Name of Applicant

\_\_\_\_\_

Address

\_\_\_\_\_

Phone #

\_\_\_\_\_

Location of cut:  
Street Address

\_\_\_\_\_

\_\_\_\_\_

Purpose of cut

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\$3,000.00 Road Cut Deposit      Date Paid \_\_\_\_\_      Check #

\_\_\_\_\_

**ROAD CUT REQUIREMENTS ARE AS FOLLOWS:**

1. The asphalt cut shall be made by saw cut or cutting wheel with a vertical edge. The saw cut itself will be located a minimum of 12" from the edge of the excavation.
2. Backfill shall be flow fill or class 6 aggregate compacted to 95% density.
3. An asphalt hot mix patch shall be made a total of 4" thick to match existing pavement surface.
4. The roadway shall be overlaid to the full width of the roadway to a point 20' beyond the edge of the road cut. If multiple road cuts are made, the

patch shall extend the full distance along the centerline of the road to cover all road patches.

Submitted by (Applicant)

---

Signature/Date

Approved by

---

Signature/Date